Journal of Biomedical Materials Research
Author Index—Volume 34

Ambrosio, L. See Peluso, G., 327
Anderson, J. M. See Peluso, G., 327
—; See Schubert, M. A., 493, 519
Anselme, K.
—; Sharrock, P.; Hardouin, P.; Dard, M.: *In vitro* growth of human adult bone-derived cells on hydroxyapatite plasma-sprayed coatings, 247
Asaoka, K. See Hanawa, T., 273
Ayukawa, Y. See Takeshita, F., 1

Baker, D. G. See Moore, R., 137
Bakker, D. See Li, P., 79
Belcourt, A. See Kessler, L., 235
Benahmed, M.
—; Heymann, D.; Pilet, P.; Bienvenu, J.; Daculsi, G.: LPS increases biomaterial degradation by human monocytes *in vitro*, 115
Beredjiklian, P. See Moore, R., 137
Berman, S. S. See Salzmann, D. L., 463
Bernacca, G. M.
—; Mackay, T. G.; Wilkinson, R.; Wheatley, D. J.: Polyurethane heart valves: Fatigue failure, calcification, and polyurethane structure, 371
Bernstein, H. See Zhang, Y., 531
Berzins, A.
—; Shah, B.; Weinans, H.; Sumner, D. R.: Nondestructive measurements of implant–bone interface shear modulus and effects of implant geometry in pull-out tests, 337
Bhatia, S. N.
—; Yarmush, M. L.; Toner, M.: Controlling cell interactions by micropatterning in co-cultures: Hepatocytes and 3T3 fibroblasts, 189
Biedrzycki, L. M.
—; Lerner, E.; Levy, R. J.; Schoen, F. J.: Differential calcification of cusps and aortic wall of failed stented porcine bioprosthetic valves, 411
Bienvenu, J. See Benahmed, M., 115
Braden, M. See Goodwin, C. J., 47
Brash, J. L. See Skarja, G. A., 427
—; See Skarja, G. A., 439
Brock, K. A. See Edwards, G. A., 291
Brunette, D. M. See Chehroudi, B., 279
Bushar, G. See Wolfarth, D. L., 57
Busscher, H. J.
—; Geertsema-Doornbusch, G. I.; van der Mei, H. C.: Adhesion to silicone rubber of yeasts and bacteria isolated from voice prostheses: Influence of salivary conditioning films, 201

Cales, B. See Drouin, J. M., 149
Campbell, A. A. See Wheeler, D. L., 539
Cao, Y. See Chen, J., 15
Castro, M. See Gómez, M., 157
Caulier, H.
—; Vercaigne, S.; Naert, I.; van der Waerden, J. P. C. M.; Wolke, J. G. C.; Kalk, W.; Jansen, J. A.: The effect of Ca-P plasma-sprayed coatings on the initial bone healing of oral implants: An experimental study in the goat, 121
Chehroudi, B.
—; McDonnell, D.; Brunette, D. M.: The effects of micromachined surfaces on formation of bonelike tissue on subcutaneous implants as assessed by radiography and computer image processing, 279
Chen, J.
—; Tong, W.; Cao, Y.; Feng, J.; Zhang, X.: Effect of atmosphere on phase transformation in plasma-sprayed hydroxyapatite coatings during heat treatment, 15
Chevalier, J. See Drouin, J. M., 149
Chiu, H.-C.
—; Kopečková, P.; Deshmane, S. S.; Kopeček, J.: Lysosomal degradability of poly(α-amino acids), 381
Cooper, C. W. See Simmons, D. J., 393
Cordey, J. See Mainil–Varlet, P., 351
Couvreur, P. See Peracchia, M. T., 317
Cuckler, J. See Moore, R., 137
Cumber, S. See Giordano, G. G., 87

Daculsi, G. See Benahmed, M., 115
—; See Guicheux, J., 165
Dahmen, K. See Maurin, N., 73
Dard, M. See Anselme, K., 247
Daty, N. See Maurin, N., 73
Deshmane, S. S. See Chiu, H.-C., 381
Doi, K.
—; Matsuda, T.: Enhanced vascularization in a microporous polyurethane graft impregnated with basic fibroblast growth factor and heparin, 361
Downes, S. See Goodwin, C. J., 47
Drouin, J. M.
—; Cales, B.; Chevalier, J.; Fantozzi, G.: Fatigue behavior of Zirconia hip joint heads: Experimental results and finite element analysis, 149
Ducheyne, P. See Moore, R., 137

Edwards, G. A.
—; Glattauer, V.; Nash, T. J.; White, J. F.; Brock, K. A.; Werkmeister, J. A.; Ramshaw, J. A. M.: *In vivo* evaluation of a collagenous membrane as an absorbable adhesion barrier, 291
Elvira, C. See Vazquez, B., 129
Eschbach, F. O. See Peluso, G., 327
Escobedo, J. See Gómez, M., 157

Faivre, A. See Guicheux, J., 165
Fantozzi, G. See Drouin, J. M., 149
Feng, J. See Chen, J., 15
Furuya, K. See Morita, S., 171

Gao, J. See Wei, X., 63

Garcia, C. A. See Giordano, G. G., 87
Geertsema-Doornbusch, G. I. See Busscher, H. J., 201
Gil, F. X. See Vazquez, B., 129
Ginebra, M. P. See Vazquez, B., 129
Giordano, G. G.
—; Thomson, R. C.; Ishaug, S. L.; Mikos, A. G.; Cumber, S.; Garcia, C. A.; Lahiri-Munir, D.: Retinal pigment epithelium cells cultured on synthetic biodegradable polymers, 87
Glattauer, V. See Edwards, G. A., 291
Gogolewski, S. See Mainil–Varlet, P., 351
Gómez, M.
—; Mancha, H.; Salinas, A.; Rodríguez, J. L.; Escobedo, J.; Castro, M.; Méndez, M.: Relationship between microstructure and ductility of investment cast ASTM F-75 implant alloy, 157
Goñi, I. See Vazquez, B., 129
Goodwin, C. J.
—; Braden, M.; Downes, S.; Marshall, N. J.: Investigation into the release of bioactive recombinant human growth hormone from normal and low-viscosity poly(methylmethacrylate) bone cements, 47
Graff, G. L. See Wheeler, D. L., 539
Grande, D. A.
—; Halberstadt, C.; Naughton, G.; Schwartz, R.; Manji, R.: Evaluation of matrix scaffolds for tissue engineering of articular cartilage grafts, 211
Greco, R. S.
—; Editorial: Body parts: In vivo veritas, 409
Grimandi, G. See Guicheux, J., 165
Guernier, C. See Maurin, N., 73
Guicheux, J.
—; Grimandi, G.; Trécant, M.; Faivre, A.; Takahashi, S.; Daculsi, G.: Apatite as carrier for growth hormone: *In vitro* characterization of loading and release, 165
Guidoin, R. See Merhi, Y., 477
Gupta, B. S.
—; Kasyanov, V. A.: Biomechanics of human common carotid artery and design of novel hybrid textile compliant vascular grafts, 341
Gurruchaga, M. See Vazquez, B., 129

Halberstadt, C. See Grande, D. A., 211
Han, D. W. See Wolfarth, D. L., 57
Hanawa, T.
—; Kon, M.; Ukai, H.; Murakami, K.; Miyamoto, Y.; Asaoka, K.: Surface modification of titanium in calcium-ion–containing solutions, 273
Hang, Y.-S. See Sun, J.-S., 227
Hanks, C. T. See Sun, Z. L., 29
Hardouin, P. See Anselme, K., 247
Heymann, D. See Benahmed, M., 115
Hiljanen-Vainio, M. P.
—; Orava, P. A.; Seppälä, J. V.: Properties of ε-caprolactone/DL-lactide (ε-CL/DL-LA) copolymers with a minor ε-CL content, 39
Hiltner, A. See Schubert, M. A., 493
—; See Schubert, M. A., 519
Ho, K. S. See Liu, C. J., 261
Horák, D.
—; Metalová, M.; Rypáček, F.: New radiopaque polyHEMA-based hydrogel particles, 183
Horiuchi, M. See Wigianto, R., 177
Hoshino, A. See Xulin, S., 9
Hsieh, K. H. See Liu, C. J., 261
Hsieh, T. T. See Liu, C. J., 261
Huang, S. J. See Peluso, G., 327

Ichikawa, T. See Wigianto, R., 177
Imbert, E.
—; Letourneur, D.; Jozefowicz, M.: Randomly phosphorylated polystyrene derivatives interact with RNA polymerase II transcription factors: Part I, 417
Ishaug, S. L. See Giordano, G. G., 87
Ishihara, K. See Morita, S., 171
Ishizuka, H. See Wigianto, R., 177
Ito, A. See Xulin, S., 9
—; See Teraoka, K., 269

Jansen, J. A. See Caulier, H., 121
Jeong, B. J. See Lee, J. H., 105
Jozefowicz, M. See Imbert, E., 417

Kalk, W. See Caulier, H., 121
Kameyama, T. See Suzuki, T., 507
Kanitani, H. See Wigianto, R., 177
Kasyanov, V. A. See Gupta, B. S., 341
Kawamoto, Y. See Suzuki, T., 507
Kessler, L.
—; Legeay, G.; West, R.; Belcourt, A.; Pinget, M.: Physicochemical and biological studies of corona-treated artificial membranes used for pancreatic islets encapsulation: Mechanism of diffusion and interface modification, 235
King, M. See Merhi, Y., 477
Kinlough-Rathbone, R. L. See Skarja, G. A., 427
Kleinert, L. B. See Salzmann, D. L., 463
Kohn, D. H. See Renier, M., 95
Kon, M. See Hanawa, T., 273
Kopeček, J. See Chiu, H.-C., 381
Kopečková, P. See Chiu, H.-C., 381
Krukowski, M. See Simmons, D. J., 393

Lahiri-Munir, D. See Giordano, G. G., 87
Lee, H. B. See Lee, J. H., 105
Lee, J. H.
—; Jeong, B. J.; Lee, H. B.: Plasma protein adsorption and platelet adhesion onto comb-like PEO gradient surfaces, 105
Legeay, G. See Kessler, L., 235
Leibowitz, H. M. See Tsuk, A. G., 299
Lerner, E. See Biedrzycki, L. M., 411
Letourneur, D. See Imbert, E., 417
Levenfeld, B. See Vazquez, B., 129
Levy, R. J. See Biedrzycki, L. M., 411
Li, P.
—; Bakker, D.; van Blitterswijk, C. A.: The bone-bonding polymer Polyactive® 80/20 induces hydroxycarbonate apatite formation *in vitro*, 79
Lin, F.-H. See Sun, J.-S., 227
Liso, P. A. See Vazquez, B., 129
Liu, C. J.
—; Hsieh, K. H.; Ho, K. S.; Hsieh, T. T.: 2-Hydroxyethyl methacrylate-terminated polyurethane/polyurethane interpenetrating polymer networks, 261
Liu, H.-C. See Sun, J.-S., 227
Lu, Z.
—; McKellop, H.: Effects of cement creep on stem subsidence and stresses in the cement mantle of a total hip replacement, 221
Lundström, I. See Nygren, H., 487

Mackay, T. G. See Bernacca, G. M., 371
Mainil–Varlet, P.
—; Cordey, J.; Gogolewski, S.: Positional stability of polylactide pins with various surface textures in sheep tibia, 351
Mancha, H. See Gómez, M., 157
Manji, R. See Grande, D. A., 211
Marshall, N. J. See Goodwin, C. J., 47
Matsuda, T. See Tanahashi, M., 305

—; See Doi, K., 361
Matsumoto, N. See Wigianto, R., 177
Maurin, N.
—; Daty, N.; Guernier, C.; Dahmen, K.; Richter, H.: An *in vivo* study of the biodegradation of the hydrophilic Mitrathane®, 73
McDonnell, D. See Chehroudi, B., 279
McKellop, H. See Lu, Z., 221
Melone, M. A. B. See Peluso, G., 327
Méndez, M. See Gómez, M., 157
Merhi, Y.
—; King, M.; Guidoin, R.: Acute thrombogenicity of intact and injured natural blood conduits versus synthetic conduits: Neutrophil, platelet, and fibrin(ogen) adsorption under various shear-rate conditions, 477
Messner, K. See Wei, X., 63
Metalová, M. See Horák, D., 183
Mikos, A. G. See Giordano, G. G., 87
Miller, G. J. See Wheeler, D. L., 539
Miyamoto, Y. See Hanawa, T., 273
Moore, R.
—; Beredjiklian, P.; Rhoad, R.; Theiss, S.; Cuckler, J.; Ducheyne, P.; Baker, D. G.: A comparison of the inflammatory potential of particulates derived from two composite materials, 137
Morita, S.
—; Yamamoto, H.; Furuya, K.; Ishihara, K.; Nakabayashi, N.: Enhanced strength in cemented stem fixation using adhesive acrylic cement as a metal coating material, 171
Mucalo, M. R. See Suzuki, T., 507
Murai, K. See Takeshita, F., 1
Murakami, K. See Hanawa, T., 273

Naert, I. See Caulier, H., 121
Nagata, F. See Suzuki, T., 507
Nakabayashi, N. See Morita, S., 171
Nash, T. J. See Edwards, G. A., 291
Naughton, G. See Grande, D. A., 211
Nicolais, L. See Peluso, G., 327
Nishizawa, K. See Suzuki, T., 507
Nygren, H.
—; Tengvall, P.; Lundström, I.: The initial reactions of TiO_2 with blood, 487

Onuma, K. See Teraoka, K., 269
Orava, P. A. See Hiljanen-Vainio, M. P., 39

Parks, N. L. See Wolfarth, D. L., 57
Pascual, B. See Vazquez, B., 129
Peluso, G.
—; Petillo, O.; Anderson, J. M.; Ambrosio, L.; Nicolais, L.; Melone, M. A. B.; Eschbach, F. O.; Huang, S. J.: The differential effects of poly(2-hydroxyethyl methacrylate) and poly(2-hydroxyethyl methacrylate)/poly(caprolactone) polymers on cell proliferation and collagen synthesis by human lung fibroblasts, 327
Peracchia, M. T.
—; Vauthier, C.; Puisieux, F.; Couvreur, P.: Development of sterically stabilized poly(isobutyl 2-cyanoacrylate) nanoparticles by chemical coupling of poly(ethylene glycol), 317
Perry, D. W. See Skarja, G. A., 427
Pertot, W.-J.
—; Sindres, V.; Scezeles, G.; Proust, J.-P.: Model for quantitative immunohistochemical assessment of pulpal response to biomaterials, 457
Petillo, O. See Peluso, G., 327
Pilet, P. See Benahmed, M., 115
Pinget, M. See Kessler, L., 235
Planell, J. A. See Vazquez, B., 129
Proust, J.-P. See Pertot, W.-J., 457
Puisieux, F. See Peracchia, M. T., 317

Ramshaw, J. A. M. See Edwards, G. A., 291
Rao, S. B.
—; Sharma, C. P.: Use of chitosan as a biomaterial: Studies on its safety and hemostatic potential, 21
Rebuelta, M. See Vazquez, B., 129
Renier, M.
—; Kohn, D. H.: Development and characterization of a biodegradable polyphosphate, 95
Rhoad, R. See Moore, R., 137
Richter, H. See Maurin, N., 73
Rodríguez, J. L. See Gómez, M., 157
Rubens, F. D. See Skarja, G. A., 427
Rypáček, F. See Horák, D., 183

Salinas, A. See Gómez, M., 157
Salzmann, D. L.
—; Kleinert, L. B.; Berman, S. S.; Williams, S. K.: The effects of porosity on endothelialization of ePTFE implanted in subcutaneous and adipose tissue, 463
San Roman, J. See Vazquez, B., 129
Sawyer, L. See Zhang, Y., 531
Scezeles, G. See Pertot, W.-J., 457
Schoen, F. J. See Biedrzycki, L. M., 411
Schubert, M. A.
—; Wiggins, M. J.; Anderson, J. M.; Hiltner, A.: Comparison of two antioxidants for poly(etherurethane urea) in an accelerated *in vitro* biodegradation system, 493
—; Wiggins, M. J.; Anderson, J. M.; Hiltner, A.: Role of oxygen in biodegradation of poly(etherurethane urea) elastomers, 519
Schwartz, R. See Grande, D. A., 211
Seitz, P. K. See Simmons, D. J., 393
Seppälä, J. V. See Hiljanen-Vainio, M. P., 39
Shah, B. See Berzins, A., 337
Shannon, C.
—; Thull, R.; von Recum, A.: Types I and III collagen in the tissue capsules of titanium and stainless-steel implants, 401
Sharma, C. P. See Rao, S. B., 21
Sharrock, P. See Anselme, K., 247
Simmons, D. J.
—; Seitz, P. K.; Cooper, C. W.; Krukowski, M.; Townsend, Jr, C. M.: Antitumor effect of positively charged resin in the hamster cheek pouch model, 393
Sindres, V. See Pertot, W.-J., 457
Skarja, G. A.
—; Kinlough-Rathbone, R. L.; Perry, D. W.; Rubens, F. D.; Brash, J. L.: A cone-and-plate device for the investigation of platelet biomaterial interactions, 427
—; Brash, J. L.: Physicochemical properties and platelet interactions of segmented polyurethanes containing sulfonate groups in the hard segment, 439
Suetsugu, T. See Takeshita, F., 1
Sumner, D. R. See Berzins, A., 337
Sun, J.-S.
—; Tsuang, Y.-H.; Yao, C.-H.; Liu, H.-C.; Lin, F.-H.; Hang, Y.-S.: Effects of calcium phosphate bioceramics on skeletal muscle cells, 227
Sun, Z. L.
—; Wataha, J. C.; Hanks, C. T.: Effects of metal ions on osteoblast-like cell metabolism and differentiation, 29
Suzuki, T.
—; Yamamoto, T.; Toriyama, M.; Nishizawa, K.; Yokogawa, Y.; Mucalo, M. R.; Kawamoto, Y.; Nagata, F.; Kameyama, T.: Surface instability of calcium phosphate

ceramics in tissue culture medium and the effect on adhesion and growth of anchorage-dependent animal cells, 507

Takahashi, S. See Guicheux, J., 165
Takeshita, F.
—; Murai, K.; Ayukawa, Y.; Suetsugu, T.: Effects of aging on titanium implants inserted into the tibiae of female rats using light microscopy, SEM, and image processing, 1
Tanahashi, M.
—; Matsuda, T.: Surface functional group dependence on apatite formation on self-assembled monolayers in a simulated body fluid, 305
Tateishi, T. See Xulin, S., 9
—; See Teraoka, K., 269
Tengvall, P. See Nygren, H., 487
Teraoka, K.
—; Ito, A.; Onuma, K.; Tateishi, T.; Tsutsumi, S.: Bending strength of synthetic OH-carbonated hydroxyapatite single crystals (Technical Note), 269
Theiss, S. See Moore, R., 137
Thomson, R. C. See Giordano, G. G., 87
Thull, R. See Shannon, C., 401
Toner, M. See Bhatia, S. N., 189
Tong, W. See Chen, J., 15
Toriyama, M. See Suzuki, T., 507
Townsend, Jr, C. M. See Simmons, D. J., 393
Trécant, M. See Guicheux, J., 165
Trinkaus-Randall, V. See Tsuk, A. G., 299
Tsuang, Y.-H. See Sun, J.-S., 227
Tsuk, A. G.
—; Trinkaus-Randall, V.; Leibowitz, H. M.: Advances in polyvinyl alcohol hydrogel keratoprostheses: protection against ultraviolet light and fabrication by a molding process, 299
Tsutsumi, S. See Teraoka, K., 269

Ukai, H. See Hanawa, T., 273

van Blitterswijk, C. A. See Li, P., 79
van der Mei, H. C. See Busscher, H. J., 201
van der Waerden, J. P. C. M. See Caulier, H., 121
Vauthier, C. See Peracchia, M. T., 317
Vazquez, B.
—; Elvira, C.; Levenfeld, B.; Pascual, B.; Goñi, I.; Gurruchaga, M.; Ginebra, M. P.; Gil, F. X.; Planell, J. A.; Liso, P. A.; Rebuelta, M.; San Roman, J.: Application of tertiary amines with reduced toxicity to the curing process of acrylic bone cements, 129
Vercaigne, S. See Caulier, H., 121
von Recum, A. See Shannon, C., 401

Wataha, J. C. See Sun, Z. L., 29
Wei, X.
—; Gao, J.; Messner, K.: Maturation-dependent repair of untreated osteochondral defects in the rabbit knee joint, 63
Weinans, H. See Berzins, A., 337
Werkmeister, J. A. See Edwards, G. A., 291
West, R. See Kessler, L., 235
Wheatley, D. J. See Bernacca, G. M., 371
Wheeler, D. L.
—; Campbell, A. A.; Graff, G. L.; Miller, G. J.: Histological and biomechanical evaluation of calcium phosphate coatings applied through surface-induced mineralization to porous titanium implants (Technical Note), 539
White, J. F. See Edwards, G. A., 291
Wiggins, M. J. See Schubert, M. A., 493
—; See Schubert, M. A., 519
Wigianto, R.
—; Ichikawa, T.; Kanitani, H.; Horiuchi, M.; Matsumoto, N.; Ishizuka, H.: Three-dimensional examination of bone structure around hydroxyapatite (HA) implants using digital image processing, 177
Wilkinson, R. See Bernacca, G. M., 371
Williams, S. K. See Salzmann, D. L., 463
Wolfarth, D. L.
—; Han, D. W.; Bushar, G.; Parks, N. L.: Separation and characterization of polyethylene wear debris from synovial fluid and tissue samples of revised knee replacements, 57
Wolke, J. G. C. See Caulier, H., 121

Xulin, S.
—; Ito, A.; Tateishi, T.; Hoshino, A.: Fretting corrosion resistance and fretting corrosion product cytocompatibility of ferritic stainless steel, 9

Yamamoto, H. See Morita, S., 171
Yamamoto, T. See Suzuki, T., 507
Yao, C.-H. See Sun, J.-S., 227
Yarmush, M. L. See Bhatia, S. N., 189
Yokogawa, Y. See Suzuki, T., 507

Zale, S. See Zhang, Y., 531
Zhang, X. See Chen, J., 15
Zhang, Y.
—; Zale, S.; Sawyer, L.; Bernstein, H.: Effects of metal salts on poly(DL-lactide-*co*-glycolide)polymer hydrolysis, 531

Journal of Biomedical Materials Research
Subject Index—Volume 34

Acrylic bone cement, 129
Acute thrombogenicity, 477
Adhesion barriers, 291
Aging, 1
Antioxidants, 493
Aortic wall, 411
Apatite, 165
Apatite formation, 305
Applied stress intensity factor, 149
Articular cartilage, 211
Articular cartilage defects, 63
ASTM F-75 alloy, 157

Bacteria, 201
Basic fibroblast factor (bFGF), 361
Bending strength, 269
Biodegradable polymer films, 87
Biodegradable polyphosphate, 95
Biodegradation, 519
Block copolymer, 79
Bone cements, 47, 129, 171
Bone conductivity, 273

Calcification, 411
Calcium phosphate bioceramics, 227
Calcium phosphate ceramics, 507
Calcium-ion–containing solutions, 273
Calcium–phosphate degradation, 115
Carotid artery, 341
Cell proliferation, 327
Cell–cell interactions, 189
Cell–surface interactions, 427
Cemented stem fixation, 171
Ceramic coatings, 539
Chitosan, 21
Coatings, 247
Co-culture systems, 189
Collagen, 401
Collagen synthesis, 327
Collagenous membrane, 291
Comb-like polyethylene oxide (PEO) surfaces, 105
Compliant textile vascular grafts, 341
Composites, 137
Computer image processing, 279
Cone-and-plate device, 427
Corona discharge treatment, 235
Crack propagation, 149
Creep, 221
Cusps, 411
Cytocompatibility, 9

Degradation, 73, 115, 531
Digital image processing, 177
DL-lactide (DL-LA) copolymers, 39
Drug delivery systems, 165

ε-caprolactone, 39
Expanded polytetrafluoroethylene (ePTFE), 463

Flexible-leaflet prosthetic heart valves, 371
Fretting corrosion, 9

Growth factors, 95

Heat treatment, 15
Hemostatic potential, 21
Heparin, 361
Human bone-derived cells, 247
Human fibroblasts, 327
Human monocytes, 115
Hydrogel particles, 183
Hydrogels, 299
Hydrolysis, 531
Hydrophilic Mitrathane®, 73
Hydroxyapatite (HA) coatings, 15
Hydroxyapatite (HA) implants, 177
Hydroxyapatite (HA) single crystals, 269
Hydroxyapatite (HA)plasma-sprayed coatings, 247
Hydroxycarbonate apatite (HCAp) formation, 79

Image analysis, 457
Immunohistochemistry, 457
Implant–bone interface, 337
In vitro, 79, 165, 189, 247
In vitro biodegradation system, 493
In vivo, 291
In vivo degradation, 73
In vivo-generated polyethylene wear particles, 57
Inflammation, 137
Interpenetrating polymer networks (IPNs), 261

Lysosomal degradability, 381

Matrix scaffolds, 211
Metal coating material, 171
Metal ions, 29
Metal orthopaedic implants, 539
Metal salts, 531
Micromachined surfaces, 279
Micropatterning, 189
Molding procedures, 299

Nanoparticles, 317

Oral implants, 121
Osteoblast differentiation, 29
Osteoblast metabolism, 29
Oxidation, 519

Pancreatic islet encapsulation, 235
Particulates, 137
PEG-coated nanoparticles, 317
Phase transformation, 15
Phosphorylated polystyrene derivatives, 417
Plasma-sprayed coated implants, 121
Platelet adhesion, 105, 261
Platelets, 427, 439, 487
Poly(α-amino acids), 381
Polyactive®, 79
Polyetherurethane (PEUU) elastomers, 519
Polylactide pins, 351
Polyurethane heart valves, 371
Porosity, 463
Positively charged dextran resin (PCDR), 393
Protein adsorption, 105
Pull-out tests, 337
Pulpal inflammation, 457

Radiography, 279
Radiopaque polymers, 183

Recombinant human growth hormone (hGH), 47
Retinal pigment epithelium (RPE), 87
RNA polymerase II transcription factors, 417

Salivary conditioning film, 201
Segmented polyurethanes, 439
Self-assembled monolayers (SAMs), 305
Shear modulus, 337
Silicone rubber, 201
Simulated body fluid (SBF), 305
Skeletal muscles, 227
Solution polymerization, 261
Stainless steels, 9
Stainless-steel implants, 401
Stem subsidence, 221
Stress–corrosion, 157
Subcutaneous implants, 279
Surface-induced mineralization (SIM), 539
Synovial fluid, 57
Synthetic arterial prostheses, 477

Tertiary aromatic amines, 129
3D bone–implant contact rates, 177
Tissue culture medium, 507
Tissue engineering, 211
Titanium, 273
Titanium implants, 1, 401
Titanium oxide (TiO_2), 487
Total knee arthroplasty, 57

Ultraviolet light, 299
Untreated osteochondral defects, 63

Vascularization, 361

Yeasts, 201

Zirconia ceramic, 149